

⁹³ Downey, C.L.; Bewley, S. “Historical perspectives on umbilical cord clamping and neonatal transition”. *Journal of the Royal Society of Medicine*. 2012; 105(8):325-329. DOI: 10.1258/jrsm.2012.110316.

⁹⁴ McDonald, S.J.; Middleton, P.; Dowswell, T.; Morris, P.S. “Effect of timing of umbilical cord clamping of term infants on maternal and neonatal outcomes”. *Cochrane Database of Systematic Reviews* 2013, Issue 7. Art. No.: CD004074. DOI: 10.1002/14651858.CD004074.pub3.

⁹⁵ Anup, C.; Katheria, Giang; Truong, Larry; Cousins, Bryan Oshiro; Neil, N. Finer. “Umbilical cord milking versus delayed cord clamping in pre-term infants”. *Pediatrics*. Junho de 2015, peds.2015-0368; DOI: 10.1542/peds.2015-0368.

Yoxall, C.W.; Ayers, S.; Sawyer, A. *et al.* “Providing immediate neonatal care and resuscitation at birth beside the mother: clinicians’ views, a qualitative study”. *BMJ Open* 2015; 5: e008494. DOI: 10.1136/bmjopen-2015-008494.

“Latest recommendations on timing of clamping the umbilical cord”. Royal College of Midwives. Abril de 2015.

⁹⁶ Reveiz, L.; Gaitán, H.G.; Cuervo, L. “Enemas during labour”. *Cochrane Database of Systematic Reviews* 2013, Issue 7. Art. No.: CD000330. DOI: 10.1002/14651858.CD000330.pub4.

⁹⁷ Basevi, V.; Lavender, T. “Routine perineal shaving on admission in labour”. *Cochrane Database of Systematic Reviews* 2014, Issue 11. Art. No.: CD001236. DOI: 10.1002/14651858.CD001236.pub2.

⁹⁸ Lynch, C.D.; Zhang, J. “The research implications of the selection of a gestational age estimation method”. *Paediatric and Perinatal Epidemiology*. 2007; 21: 86-96. doi:10.1111/j.1365-3016.2007.00865.x.

⁹⁹ Jukic, A.M.; Baird, D.D.; Weinberg, C.R.; McConaughy, D.R.; Wilcox, A.J. “Length of human pregnancy and contributors to its natural variation”. *Human Reproduction* (Oxford, England). 2013;28(10):2848-2855. doi:10.1093/humrep/det297.

¹⁰⁰ ACOG Committee Opinion No 579: Definition of term pregnancy. Novembro de 2013.

¹⁰¹ Whitworth, M.; Bricker, L.; Mullan, C. “Ultrasound for foetal assessment in early pregnancy”. *Cochrane Database of Systematic Reviews* 2015, Issue 7. Art. No.: CD007058. DOI: 10.1002/14651858.CD007058.pub3.

- ¹⁰² Mongelli, M.; Wilcox, M.; Gardosi, J. “Estimating the date of confinement: ultrasonographic biometry versus certain menstrual dates”. *Am. J. Obstet Gynecol.* 1996; 174:278-281.
- ¹⁰³ Rolv, T. Lie; Allen, J.; Wilcox, Rolv Skjaerven. “Maternal and paternal influences on length of pregnancy”. *Obstet Gynecol.* Abril de 2006; 107(4): 880-885. DOI: 10.1097/01.AOG.0000206797.52832.36.
- ¹⁰⁴ Kamel, R.M. “The onset of human parturition”. *Arch Gynecol Obstet.* 2010; 281: 975. DOI:10.1007/s00404-010-1365-9.
- ¹⁰⁵ Genna, W.C. *Supporting Sucking Skills*. Jones&Bartlett Learning. 2013.
- ¹⁰⁶ Gülmezoglu, A.M.; Crowther, C.A.; Middleton, P.; Heatley, E. “Induction of labour for improving birth outcomes for women at or beyond term”. *Cochrane Database of Systematic Reviews* 2012, Issue 6. Art. No.: CD004945. DOI: 10.1002/14651858.CD004945.pub3
- ¹⁰⁷ King, Nicholas B.; Harper, Sam; Young, Meredith E. “Use of relative and absolute effect measures in reporting health inequalities: structured review”. *BMJ* 2012; 345 :e5774.
- ¹⁰⁸ http://www.amandamontanez.com/media/pamphlets/postdates_pamphlet.pdf
- ¹⁰⁹ WHO Recommendations for induction of labour. Geneva: Organização Mundial de Saúde. 2011.
- ¹¹⁰ EURO-PERISTAT Project with SCPE and EUROCAT. European Perinatal Health Report. “The health and care of pregnant women and babies in Europe in 2010”. Maio de 2013. Disponível em www.europeristat.com.
- ¹¹¹ Middleton, P.; Shepherd, E.; Flenady, V.; McBain, R.D.; Crowther, CA. “Planned early birth versus expectant management (waiting) for prelabour rupture of membranes at term (37 weeks or more)”. *Cochrane Database of Systematic Reviews* 2017, Issue 1. Art. No.: CD005302. DOI: 10.1002/14651858.CD005302.pub3.
- ¹¹² Hannah, M.E.; Ohlsson, A.; Farine, D. *et al.* “Induction of labor compared with expectant management for prelabor rupture of membranes at term”. 2016. TERMPROM Study Group. *N Engl J Med* 334(16):1005—1010.

¹¹³ Dilbaz, B.; Ozturkoglu, E.; Dilbaz, S. *et al.* “Risk factors and perinatal outcomes associated with umbilical cord prolapse”. *Arch Gynecol Obstet*. Maio de 2006; 274(2):104-7.

¹¹⁴ Ayres-de-Campos, D.; Montenegro, N.; Rodrigues, T. *Protocolos de Medicina Materno-Fetal*. 3.^a edição. Lidel. 2014.

¹¹⁵ Boulvain, M.; Stan, C.M.; Irion, O. “Membrane sweeping for induction of labour”. *Cochrane Database of Systematic Reviews* 2005, Issue 1. Art. No.: CD000451. DOI: 10.1002/14651858.CD000451.pub2.

¹¹⁶ “Induction guidelines”. NICE. Julho de 2008.

¹¹⁷ Kayser, U.; Trotnow, S. “Stripping of the membranes for induction of labour (author’s transl.)”. *Geburtshilfe Frauenheilkunde*. Julho de 1975; 35(7):525-32.

¹¹⁸ Rath, W.; Kehl, S. “The renaissance of transcervical balloon catheters for cervical ripening and labour induction”. *Geburtshilfe und Frauenheilkunde*. 2015; 75(11):1130-1139. DOI: 10.1055/s-0035-1558094.

¹¹⁹ Ayres-de-Campos, D.; Montenegro, N.; Rodrigues, T.; Ramalho, C. *Protocolos de Medicina Materno-Fetal*. 3.^a edição. Lidel. 2014.

¹²⁰ Jozwiak, M. *Induction of Labour: Foley catheter revisited*. Leiden University. 2013. South Australian Maternal & Neonatal Clinical Network. “Induction of labour techniques”. South Australian Perinatal Practice Guidelines. 2014.

¹²¹ Maslovitz, S.; Lessing, J.B.; Many, A. “Complications of trans-cervical Foley catheter for labor induction among 1,083 women”. *Arch Gynecol Obstet* (2010) 281: 473. DOI:10.1007/s00404-009-1136-7.

¹²² Chen, W.; Xue, J.; Peprah, M.K.; Wen, S.W.; Walker, M.; Gao, Y.; Tang, Y. “A systematic review and network meta-analysis comparing the use of Foley catheters, misoprostol, and dinoprostone for cervical ripening in the induction of labour”. *BJOG* 2016; 123:346-354.

¹²³ “Induction of labour”. SOGC Clinical Practice Guideline. N.º 296, Setembro de 2013 (substituí N.º 107, Agosto de 2001).

Sciscione, A.C.; Muench, M.; Pollock, M.; Jenkins, T.M.; Tildon-Burton, J.; Colmorgen, G.H.C. “Transcervical Foley catheter for preinduction cervical ripening in an outpatient versus inpatient setting”. *Obstet Gynecol*. 2001; 98(5.1): 751-756.

- ¹²⁴ Harrison, L. “Foley catheter beats cook cervical for labor induction”. *Medscape Medical News*. 2015.
- ¹²⁵ Jozwiak, M.; Bloemenkamp, K.W.M.; Kelly, A.J.; Mol, B.W.J.; Irión, O.; Bouvain, M. “Mechanical methods for induction of labour”. *Cochrane Database of Systematic Reviews* 2012, Issue 3. Art. No.: CD001233. DOI: 10.1002/14651858.CD001233.pub2
- ¹²⁶ Ayres-de-Campos, D.; Montenegro, N.; Rodrigues, T.; Ramalho, C. *Protocolos de Medicina Materno-Fetal*. 3.^a edição. Lidel. 2014.
Indução do Trabalho de Parto. Orientação nº 002/2015 de 19/01/2015. Direcção-Geral da Saúde.
- ¹²⁷ “Guidelines on labor induction”. American College of Obstetricians and Gynecologists. Julho de 2009.
“Induction of Labor”. SOGC Clinical Practice Guideline. JOGC. 2015.
- ¹²⁸ *Cytotec*, folheto informativo: informação para o doente. Infarmed. 2013.
- ¹²⁹ Cardoso, L. *O uso off-label de medicamentos*. Universidade Fernando Pessoa. 2014.
- ¹³⁰ “Inducing Labor”. NICE Guideline CG70. 2008.
- ¹³¹ “Inducing Labor”. Queensland Clinical Guideline. Setembro de 2011.
- ¹³² “Use of prostaglandins for cervical ripening prior to the induction of labour”. RANZCOG. 2015.
- ¹³³ “Declaração Universal em Bioética e Direitos Humanos”. Art.º 6. UNESCO. 2005.
- ¹³⁴ “Consentimento Informado, Esclarecido e Livre Dado por Escrito”. Norma 015/2013. Direcção-Geral da Saúde. 2015.
- ¹³⁵ Clausen, J.A.; Juhl, M.; Rydahl, E. “Quality assessment of patient leaflets on misoprostol-induced labour: Does written information adhere to international standards for patient involvement and informed consent?”. *BMJ Open* 2016; 6:e011333. DOI:10.1136/bmjopen-2016-011333.
Lenk, C.; Duttge, G. “Ethical and legal framework and regulation for off-label use: European perspective”. *Therapeutics and Clinical Risk Management*. 2014; 10:537-546. DOI: 10.2147/TCRM.S40232.

Molyneux, C.; Bogaert, P. “The need of informed consent in off-label use in Europe”. *Informa UK*, Ltd. 2010.

¹³⁶ Allen, R.; O’Brien, B.M. “Uses of misoprostol in obstetrics and gynecology”. *Reviews in Obstetrics and Gynecology*. 2009; 2(3):159-168.

¹³⁷ Alfirevic, Z.; Aflaifel, N.; Weeks, A. “Oral misoprostol for induction of labour”. *Cochrane Database of Systematic Reviews* 2014, Issue 6. Art. No.: CD001338. DOI: 10.1002/14651858.CD001338.pub3.

¹³⁸ Hofmeyr, G.J.; Gülmezoglu, A.M.; Pileggi, C. “Vaginal misoprostol for cervical ripening and induction of labour”. *Cochrane Database of Systematic Reviews* 2010, Issue 10. Art. No.: CD000941. DOI: 10.1002/14651858.CD000941.pub2.

Alfirevic, Z.; Aflaifel, N.; Weeks, A. “Oral misoprostol for induction of labour”. *Cochrane Database of Systematic Reviews* 2014, Issue 6. Art. No.: CD001338. DOI: 10.1002/14651858.CD001338.pub3.

¹³⁹ Alfirevic, Z.; Keeney, E.; Dowswell, T. *et al.* “Methods to induce labour: a systematic review, network meta-analysis and cost-effectiveness analysis”. *Bjog*. 2016; 123(9):1462-1470. DOI: 10.1111/1471-0528.13981.

¹⁴⁰ Agência Europeia do Medicamento. Procedimento n.º PSU-SA/00010353/201505. <http://www.ema.europa.eu>.

¹⁴¹ “Indução do Trabalho de Parto”. Orientação nº 002/2015 de 19/01/2015. Direcção-Geral da Saúde.

¹⁴² Alfirevic, Z.; Aflaifel, N.; Weeks, A. “Oral misoprostol for induction of labour”. *Cochrane Database of Systematic Reviews* 2014, Issue 6. Art. No.: CD001338. DOI: 10.1002/14651858.CD001338.pub3.

¹⁴³ WHO Recommendations for Labour Induction. Organização Mundial de Saúde. 2011.

¹⁴⁴ “Induction of labour: misoprostol vaginal delivery system”. NICE advice [ESNM38]. NICE. 2014. MISODEL 200 microgrammes, dispositif de diffusion vaginal. Commission de la transparence. HAS - Direction de l’Evaluation Médicale, Economique et de Santé Publique. 2015.

¹⁴⁵ Ayres-de-Campos, D.; Montenegro, N.; Rodrigues, T.; Ramalho, C. *Protocolos de Medicina Materno-Fetal*. 3.ª edição. Lidel. 2014.

¹⁴⁶ Alfirevic, Z.; Aflaifel, N.; Weeks, A. “Oral misoprostol for induction of

labour”. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD001338. DOI: 10.1002/14651858.CD001338.pub3.

¹⁴⁷ Chen, W.; Xue, J.; Peprah, M.K.; Wen, S.W.; Walker, M.; Gao, Y.; Tang, Y. “A systematic review and network meta-analysis comparing the use of Foley catheters, misoprostol, and dinoprostone for cervical ripening in the induction of labour”. *BJOG* 2016; 123:346-354.

¹⁴⁸ Lenk, C.; Duttge, G. “Ethical and legal framework and regulation for off-label use: European perspective”. *Therapeutics and Clinical Risk Management*. 2014;10:537-546. DOI: 10.2147/TCRM.S40232.

Clausen, J.A.; Juhl, M.; Rydahl, E. “Quality assessment of patient leaflets on misoprostol-induced labour: does written information adhere to international standards for patient involvement and informed consent?”. *BMJ Open* 2016;6:e011333. DOI: 10.1136/bmjopen-2016-011333.

¹⁴⁹ Alfirevic, Z.; Kelly, A.J.; Dowswell, T. “Intravenous oxytocin alone for cervical ripening and induction of labour”. The Cochrane database of systematic reviews. 2009;(4):CD003246. DOI:10.1002/14651858.CD003246.pub2.

¹⁵⁰ Boie, S.; Velu, A.V.; Glavind, J.; Mol, B.W.J.; Uldbjerg, N.; Graaf, I. de; Bor, P.; Bakker, J.J.H. “Discontinuation of intravenous oxytocin in the active phase of induced labour (Protocol)”. Cochrane Database of Systematic Reviews 2016, Issue 7. Art. No.: CD012274. DOI: 10.1002/14651858.CD012274.

¹⁵¹ Tsimis, M.S.; Buckley, A.P.; Nero, D.; Laurio, A. “Oxytocin usage for labor induction or augmentation and adverse neonatal outcomes”. American College of Obstetricians and Gynecologists 61st Annual Clinical Meeting; Nova Orleães, LA. 2013.

¹⁵² Boie, S.; Velu, A.V.; Glavind, J.; Mol, B.W.J.; Uldbjerg, N.; Graaf, I. de; Bor, P.; Bakker, J.J.H. “Discontinuation of intravenous oxytocin in the active phase of induced labour (Protocol)”. Cochrane Database of Systematic Reviews 2016, Issue 7. Art. No.: CD012274. DOI: 10.1002/14651858.CD012274.

¹⁵³ Daniel-Spiegel, E.; Weiner, Z.; Ben-Shlomo, I.; Shalev, E. “For how long should oxytocin be continued during induction of labour?”. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2004; 111: 331-334. DOI: 10.1111/j.1471-0528.2004.00096.x.

¹⁵⁴ Bor, P.; Ledertoug, S.; Boie, S.; Knoblauch, N.O.; Stornes, I. “Continuation versus discontinuation of oxytocin infusion during the active phase of labour: A randomised controlled trial”. *BJOG* 2016; 123:129-135.

¹⁵⁵ Kendrick, A.J.W.; Neilson, J. “Continuous versus pulsatile oxytocin administration for the augmentation of labour”. *Cochrane Database of Systematic Reviews* 2015, Issue 5. Art. No.: CD011632. DOI: 10.1002/14651858.CD011632.

¹⁵⁶ Ayres-de-Campos, D.; Furtado, J.M.; Crisóstomo, M.R.; Carrapato, R.; Cunha, E.; Conceição, M.F. “Medidas para reduzir a taxa de cesarianas da região norte de Portugal”. *ARS Norte*, Porto, Setembro de 2010.

¹⁵⁷ Buckley, Sarah J. “Hormonal physiology of childbearing: Evidence and implications for women, babies, and maternity care”. Washington, D.C.: Childbirth Connection Programs, National Partnership for Women & Families. Janeiro de 2015.

¹⁵⁸ Portaria nº 310/2016 de 12 de Dezembro. *Diário da República* n.º 236/2016, Série I de 2016-12-12. Ministério da Saúde. Lisboa.

¹⁵⁹ Betran, A.P.; Torloni, M.R.; Zhang, J.J.; Gülmezoglu, A.M. for the WHO Working Group on Caesarean Section. WHO Statement on Caesarean Section Rates. *BJOG* 2016; 123:667-670.

¹⁶⁰ Molina, G.; Weiser, T.G.; Lipsitz, S.R.; Esquivel, M.M.; Uribe-Leitz, T.; Azad, T.; Shah, N.; Semrau, K.; Berry, W.R.; Gawande, A.A.; Haynes, A.B. “Relationship between cesarean delivery rate and maternal and neonatal mortality”. *JAMA*. 2015; 314(21):2263-2270. DOI:10.1001/jama.2015.15553.

¹⁶¹ Gibbons, L.; Belizán, J.M.; Lauer, J.A.; Betrán, A.P.; Meriáldi, M.; Althabe, F. “The global numbers and costs of additionally needed and unnecessary caesarean sections performed per year: overuse as a barrier to universal coverage”. *World Health Report 2010*; Background paper 30. Genebra: Organização Mundial de Saúde, 2010.

¹⁶² Hansen, A.K.; Wisborg, K.; Uldbjerg, N.; Henriksen, T.B. “Elective caesarean section and respiratory morbidity in the term and near-term neonate”. *Acta Obstetricia et Gynecologica Scandinavica*. 2007; 86: 389-394. DOI:10.1080/00016340601159256.

¹⁶³ Resende, Maria Cristina; Santos, Lea; Silva, Isabel Santos. “Morbilidade neonatal e cesariana electiva em recém-nascidos de termo”. *Acta Médica Portuguesa*. Setembro-Outubro de 2015.

¹⁶⁴ Lavender, T.; Hofmeyr, G.J.; Neilson, J.P.; Kingdon, C.; Gyte, G.M.L.